	Hits	Search Text	DBs
1	67	(work$1load with (number near2 (processors or cpu$1)))	US-PGPUB; USPAT
2	0	(work$1load with (number near2 (processors or cpu$1)))	EPO; JPO
3	145	(workload with (processor$3 or cpu$4 or computer$3)) same (power near4 consum$6)	US-PGPUB; USPAT
4	6	(workload with (plurality near (processor$3 or cpu$4 or computer$3))) same (power near4 consum$6)	US-PGPUB; USPAT
5	16	("6711691").URPN.	USPAT
6	16	("6711691").URPN.	USPAT
7	2	(busier with (power$4 with (processor$3 or cpu$4 or computer$3)))	US-PGPUB; USPAT
8	176	(busy with (power$4 with (processor$3 or cpu$4 or computer$3)))	US-PGPUB; USPAT
9	31	(busy with (power$4 with (processor$3 or cpu$4 or computer$3))) same (power near4 consum$6)	US-PGPUB; USPAT
10	47	(((least or most) near2 activ$6) with (power$4 with (processor$3 or cpu$4 or computer$3))) same (power near4 consum$6)	US-PGPUB; USPAT
11	0	((((least or most) near2 (busy)) or (busiest)) with (power$4 with (processor$3 or cpu$4 or computer$3))) same (power near4 consum$6)	US-PGPUB; USPAT
12	2	((((least or most) near2 (busy)) or (busiest)) with (power$4 with (processor$3 or cpu$4 or computer$3)))	US-PGPUB; USPAT
13	127	((((least or most) near2 (activ$6))) with (power$4 with (processor$3 or cpu$4 or computer$3)))	US-PGPUB; USPAT
14	11	((((least or most) near2 (activ$6))) with (power$4 with (processor$3 or cpu$4 or computer$3))) same ((sleep or power) adj (mode or state))	US-PGPUB; USPAT

	Hits	Search Text	DBs
15	86	((activ$5) with (plurality or multi$6) with (power$4 with (processor$3 or cpu$4 or computer$3))) same ((sleep or power) adj (mode or state))	US-PGPUB; USPAT
16	11	((idl$5) with (plurality or multi$6) with (power$4 with (processor$3 or cpu$4 or computer$3))) same ((sleep or power) adj (mode or state))	US-PGPUB; USPAT
17	0	(((least or most) near2 activ$5) with (plurality or multi$6) with (power$4 with (processor$3 or cpu$4 or computer$3))) same ((sleep or power) adj (mode or state))	US-PGPUB; USPAT
18	26	((plurality or multi$6) with (power$4 with (processor$3 or cpu$4 or computer$3))) same (idl$4 with ((sleep or power) adj (mode or state)))	US-PGPUB; USPAT
19	1	"7093147"	US-PGPUB; USPAT
20	2	("5913068" | "6804632").PN.	US-PGPUB; USPAT; USOCR
21	0	((((least or most) near2 (activ$6))) with (power$4 with (processor$3 or cpu$4 or computer$3))) same ((sleep or power) adj (mode or state))	EPO; JPO
22	1	((activ$5) with (plurality or multi$6) with (power$4 with (processor$3 or cpu$4 or computer$3))) same ((sleep or power) adj (mode or state))	EPO; JPO
23	1	((plurality or multi$6) with (power$4 with (processor$3 or cpu$4 or computer$3))) same (idl$4 with ((sleep or power) adj (mode or state)))	EPO; JPO
24	624	smp and ((activ$7 or de$1activ$7) with processor$1)	US-PGPUB; USPAT
25	231	smp and ((activ$7 or de$1activ$7) with cpu$1)	US-PGPUB; USPAT
26	125	smp and (((activ$7 or de$1activ$7) with (cpu$1 or processor$1)) same (work$5))	US-PGPUB; USPAT

	Hits	Search Text	DBs
27	10	smp and (((activ$7 or de$1activ$7) with (cpu$1 or processor$1)) same (work$5) same monitor$5)	US-PGPUB; USPAT
28	119	smp and (((activ$7 or de$1activ$7) with (cpu$1 or processor$1))) and ((work$5) with (threshold or level or monitor$5))	US-PGPUB; USPAT
29	30	smp and (((activ$7 or de$1activ$7) with (cpu$1 or processor$1))) and ((work$5 or busy) with (threshold or level or monitor$5)) and "713"/$3	US-PGPUB; USPAT
30	0	smp and (((activ$7 or de$1activ$7) with (cpu$1 or processor$1))) and (transaction adj buffer)	US-PGPUB; USPAT
31	413	smp and (((activ$7 or de$1activ$7) with (cpu$1 or processor$1))) and (transaction$4)	US-PGPUB; USPAT
32	38	smp and (((activ$7 or de$1activ$7) with (cpu$1 or processor$1))) and (transaction$4 with available)	US-PGPUB; USPAT
33	1	smp and ((activ$7 or de$1activ$7) with processor$1)	EPO; JPO
34	0	smp and (((activ$7 or de$1activ$7) with (cpu$1 or processor$1))) and (transaction$4)	EPO; JPO
35	95	smp and ((activ$7 or de$1activ$7) with processor$1) and (load adj balanc$6)	US-PGPUB; USPAT
36	102	smp and ((activ$7 or de$1activ$7) with processor$1) and (load near2 balanc$6)	US-PGPUB; USPAT
37	80	smp and ((activ$7 or de$1activ$7) with processor$1) and (load near2 balanc$6) and monitor$4	US-PGPUB; USPAT
38	20	smp and ((activ$7 or de$1activ$7) with processor$1) and (load near2 balanc$6) and (monitor$4 with (work$6 or performance))	US-PGPUB; USPAT
39	0	smp and ((activ$7 or de$1activ$7) with processor$1) and (load near2 balanc$6) and monitor$4	EPO; JPO
40	6	smp and ((activ$7 or de$1activ$7) with processor$1) and (load near2 balanc$6) and ((minimum or desired) with performance)	US-PGPUB; USPAT

	Hits	Search Text	DBs
41	17	smp and ((activ$7 or de$1activ$7) with processor$1) and (load near2 balanc$6) and ((minimum or user) with performance)	US-PGPUB; USPAT